



## Mieux Interactive Flat Panel

- » 15mm ultra-narrow bezel design, built-in 13MP camera & 6 array microphone.
- » Note whiteboard: dual colors writing and display, smart image recognition, handwriting recognition, instant google search, education tools(ruler, table), 3D graphics, mind map, sticky-notes, grid, video playing, support Google Drive and One Drive login etc
- » Zero gap bonding technology, low parallax writing.
- » Front full-featured TYPE-C port.
- » Multi free windows Support split screen for different Apps and multi-tasking, parallel tasks and wider scenes.
- » Intelligent wake-up for HDMI/VGA/RS232 channels & network signal input in standby mode.
- » Flicker free for eye protection.
- » Rich tools: new customized hoverball, lock screen, touch lock, recorder, voter, crop, etc.
- » Wi-Fi 6, dual-band 2.4G/5G
- » Front USB3.0\*2 and onboard USB3.0\*2, public for Android and PC



# Mieux Interactive Flat Panel **MX SERIES** MXC65i, MXC75i, MXC86i

Product Specifications			
<b>Panel</b>	LCD Size	65"   75"   86"	
	Respond Time	8ms	
	Visual Ratio	16:9	
	Resolution	3840(H) × 2160(V)	
	Pixel pitch	0.4296×0.4296mm	
	Frequency	60Hz	
	Display Colors	1.07B (10bit)	
	Color Saturability	72%	
	Contrast ratio (Typ)	1200:1	
	Viewing Angle	178°(H/V)	
	Light source	DLED	
	Brightness	400cd/m2	
	Life Span	≥30000hours	
<b>Audio-video parameters</b>	Speaker	Soundtrack	2.0
		Power	2×15W
	Camera	Pixel	13MP
		Qty	1
		Location	Upper Frame
		Viewing Angle	DFOV:100° HFOV:91.9° VFOV:60
	Microphone	Function	Support sound autofocus, auto white balance, backlight compensation, 3D noise reduction
		Pick-up distance	0~8m
		Qty	6
		Pick-up angle	0°~180°
<b>Touch parameter</b>	Touch specifications	Non-contact infrared sensing technology	
	Support Systems	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome	
	Touch Points	20 Points Touch	
	Min.Identifier	2mm	
	Input mode	Opaque object (finger, pen, etc)	
	Respond time	≤10ms	
	Touch depth	±1mm	
	Writing height	≤3mm	
	Writing display	Dual pens, dual colors	
	Output coordinates	32767 (W) ×32767(D)	



# Mieux Interactive Flat Panel **MX SERIES** MXC65i, MXC75i, MXC86i

<b>System</b>	System Version		Android 11.0
	CPU		Quad Core A55
	GPU		Mali G52MP2
	RAM		4GB
	ROM		32GB
<b>Wireless</b>	Bluetooth	Version	5.0
		Working Frequency	2.4GHz
		Working Distance	0~10m
	Wi-Fi	Version	802.11ac/b/g/n/a/ax
		Working Frequency	2.4GHz/5GHz
		Working Distance	0~10m
<b>I/O Interface</b>	HDMI IN		3
	HDMI OUT		1
	USB 2.0		1
	USB 3.0		4
	TOUCH		2
	VGA IN		1
	AUDIO IN		1
	AUDIO OUT		1
	SPDIF		1
	RS232		1
	TYPE-C		1
	RJ45 OUT		1
	RJ45 IN		1
	Front small board interface		2*USB3.0+TYPE-C+TOUCH OUT+HDMI IN
<b>Power</b>	Voltage		100-240V~ 50/60Hz 4A
	Standby power consumption		≤0.5W
<b>Accessories</b>	Power cord		×1
	Touch pen		×1
	Wall mount		×1
	Wifi dongle		×1
	User manual		×1



# Mieux Interactive Flat Panel **MX SERIES** MXC65i, MXC75i, MXC86i

<b>Environment</b>	Working temperature	0°C~40°C
	Working humidity	10%~90%RH
	Storage temperature	-20°C~60°C
	Storage humidity	10%~90%RH
Optional OPS		

\*Remark: Due to continuous product development, the specifications may change without prior intimation.



Distributed And Marketed By  
**Mieux Display Private Limited**  
207, 2nd Floor, Red Rose Building, 49-50, Nehru Place, 110019, New Delhi